


# JLG N 35 E



## Einsatzdaten

<b>Max. Arbeitshöhe</b>	<b>12,70 m</b>
<b>Max. Plattformhöhe</b>	<b>10,70 m</b>
<b>Plattformabmessung LxB</b>	<b>1,22 x 0,66 m</b>
<b>Max. Hublast</b>	<b>227 kg</b>
<b>Max. seitliche Reichweite</b>	<b>7,00 m</b>
<b>Antriebsart</b>	<b>Batterie [4x2]</b>
<b>Schwenkbereich</b>	<b>360°</b>
<b>Überhang</b>	<b>0,00 m</b>
<b>Max. Steigungswinkel</b>	<b>25 %</b>
<b>Verfahrbar bis</b>	<b>12,70 m [Volle Höhe]</b>
<b>Max. Höhe des Gelenks</b>	<b>Ca. 5,00 m</b>


## Transportdaten

<b>Eigengewicht</b>	<b>4617 kg</b>
<b>Gesamtlänge</b>	<b>5,18 m</b>
<b>Gesamtbreite</b>	<b>1,50 m</b>
<b>Bauhöhe</b>	<b>2,00 m</b>
<b>Bodenfreiheit</b>	<b>0,10 m</b>

## Besonderes

<b>Hersteller &amp; Bezeichnung</b>	<b>JLG N35E</b>
<b>Drehbarer Arbeitskorb</b>	<b>Ja</b>
<b>Korbarm, Drehwinkel</b>	<b>Nein, 0°</b>
<b>Pendelachse</b>	<b>Nein</b>
<b>Differentialsperre</b>	<b>Nein</b>
<b>Steckdose im Arbeitskorb</b>	<b>Nein</b>
<b>Allradantrieb</b>	<b>Nein</b>

# JLG N 35 E



## Operation Data

<b>Working Height</b>	12,70 m
<b>Platform Height</b>	10,70 m
<b>Platform Size LxB</b>	1,22 x 0,66 m
<b>Max. Lift Capacity</b>	227 kg
<b>Horizotal Outreach</b>	7,00 m
<b>Power Source</b>	Batterie [4x2]
<b>Turntable Rotation</b>	360°
<b>Überhang</b>	0,00 m
<b>Gradeability</b>	25 %
<b>Height of Articulate</b>	Ca. 5,00 m

## Transport Data

<b>Weight</b>	<b>4617 kg</b>
<b>Length</b>	<b>5,18 m</b>
<b>Width</b>	<b>1,50 m</b>
<b>Height (stowed)</b>	<b>2,00 m</b>
<b>Ground Clearance</b>	<b>0,10 m</b>

## Particular

<b>Manufacturer &amp; Name</b>	<b>JLG N35E</b>
<b>Platform Rotation</b>	<b>yes</b>
<b>Jib at Platform, Rotation Angel</b>	<b>no, 0°</b>
<b>Pendulum Axis</b>	<b>no</b>
<b>Differential Lock</b>	<b>no</b>
<b>Socket In Platform</b>	<b>no</b>
<b>All-Wheel Drive</b>	<b>no</b>