

Sales Adviser: Vehicle Data Code Inquiry

Serial: X47996	Bld: P	Qty: 1	VIN: 5KKUALAV27PX47996	Specifications
Split Range: X47996/X47996			Customer: STOCK CALGAR	Base Model: 4900SA
TSO No: N06139142			Salesperson: RON GIFFORD	Cab Size: 123
Pilot:			Coordinator: UNKNOWN	Sleeper Size: 34
Open TCO: N 018			Customer Acct: T15045	Paint: 1
Schedule			Shipping/Pricing	
Status: RTL SOLD			Transit Start Dt: 11/13/2006	Key Code: D453
Status Date: 10/22/2010			Est. Arrival Dt: 11/15/2006	Engine: CATC15
Order Recvd: 01/20/2006			Dlr Recvd Dt: 11/15/2006	Transmission: 18918A
Request Date: 10/16/2006			Specon Dt: 10/03/2006	Aux Tran:
Latest Accept: 10/16/2006			Invoice Dt: 10/27/2006	FT Axle: FL941
Projected Completion: 10/20/2006			Retail Sale: 10/22/2010	RR Axle: TRID-456
Orig Project:			Concession #:	Tag/Push:
Order Rlse: 01/27/2006			Price Level: PRL-62A	Suspension: FA269000
Ship Method: DRIVEABLE			**DO NOT USE**RL-62A	TSO Processing: COMPLETE
STERLING WESTERN STAR			(EFF:1/10/06))KG9))	Engineering CWOS: COMPLETE
TRUCKS (PDI Received:	Pricing Issues: COMPLETE
9115 52ND STREET SE			PDI Returned:	
CALGARY , AB T2C2R4			Approval Date:	
CAN			TCO Approval:	
RON GIFFORD				
403-720-3400				

<u>DBCCode</u>	<u>O TCO</u>	<u>Notes</u>	<u>Description</u>	<u>Value</u>
			PRICING IS NOT AVAILABLE FOR THIS REPORT	
PRL-62A			PRICE LEVEL INFORMATION **DO NOT USE**RL-62A (EFF:1/10/06))KG9)) LTR)08/15/11)AND AXLES AXLES***ITS CC9 ended Engine and Aftertreatment Warranty CoverageT USE****DO NOT USE**	
AA1-003			GENERAL APPLICATION INFORMATION	
AA6-003			TRUCK/TRAILER CONFIGURATION	
A85-007			DOMICILED, CANADA (OTHER THAN QUEBEC)	
A84-1PE			OIL FIELD SERVICE	
AA3-030			PETROLEUM BUSINESS SEGMENT	
AA2-001			FLATBED/PLATFORM BODY WITH LIFT/PULL DEVICE	
AH6-001			VAN TRAILER	
AA5-007			SINGLE (1) TRAILER	
AB5-003			TERRAIN/DUTY: 30% (LESS THAN A THIRD) OF THE TIME, IN TRANSIT, IS SPENT ON NON-P AVED ROADS	
AB1-008			MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE	
AA4-011			MAXIMUM 8% EXPECTED GRADE	
A66-99D	002		FIXED LOAD COMMODITY	
A68-99D	011		EXPECTED FRONT AXLE(S) LOAD	40000 LBS
A63-99D	002		EXPECTED REAR DRIVE AXLE(S) LOAD	55812 LBS
A70-99D	002		EXPECTED GROSS VEHICLE WEIGHT CAPACITY	96700 LBS
AC8-99D			EXPECTED GROSS COMBINATION WEIGHT	106700 LBS
AL8-99D			CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	255.21 IN
A88-99D			CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3 IN
AL4-99D			EXPECTED TRUCK BODY LENGTH	240 IN
			CALC'D FRAME LENGTH BACK OF CAB	391.21 IN

AL6-99D		CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-148.21	IN
AM1-99D		CALC'D OVERALL LENGTH AT BODY OR EOF	559.62	IN
AC3-99D		CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	80.535	MPH
AM3-99D		CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	42.025	IN
AM2-99D		CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	43.525	IN
A61-99D		MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D		CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	40000	LBS
A59-99D	011	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	55812	LBS
A60-99D		CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	011	RATED MAXIMUM VEHICLE CAPACITY - GVWR	95812	LBS
		BASE MODEL		
001-424		WESTERN STAR 4800/4900SB CHASSIS	0	0
004-207		2007 MODEL YEAR SPECIFIED**DO NOT USE**	0	0
995-1AB	002	WESTERN STAR LEVEL II WARRANTY	0	0
002-004		SET BACK AXLE - TRUCK	0	0
019-001		TRAILER TOWING PROVISION AT END OF FRAME	0	0
		FOR TRUCK		
003-001		LH PRIMARY STEERING LOCATION	0	0
		ENGINE		
101-1XG		CAT C15 475 HP @ 2100 RPM, 1850 LB/FT @	0	0
		1200 RPM**DO NOT USE**		
99C-007		2004 EPA/CARB EMISSION CERTIFICATION	0	0
EAG-99D		IDLE RPM LIMIT	1100	RPM
EAJ-002	011	DATA LINK - J1939		
EB8-002		THEFT DETERRENT SYSTEM - DISABLE		
EC2-99D		MIN CRUISE CONTROL MPH	15	MPH
ED2-99D		ROAD SPEED LIMIT MPH	81	MPH
EE3-006		IDLE TIMER SHUTDOWN OVERRIDE - NO		
EE4-99D		IDLE TIME MINUTES	0	MIN
EE5-99D		MINIMUM IDLE SHUTDOWN TEMPERATURE	120	DEG
EE6-99D		MAXIMUM IDLE SHUTDOWN TEMPERATURE	120	DEG
EFA-99D		IDLE VEHICLE SPEED LIMIT	8	MPH
EFB-99D		IDLE/PTO BUMP RPM	20	RPM
EFD-001		PTO CAB THROTTLE RPM LIMIT - TEL		
EFE-99D		PTO TORQUE LIMIT	1850	FT-L
EFG-001		PTO ACTIVATES COOLING FAN - NORMAL		
EFH-99D		PTO SHUTDOWN TIME	0	MIN
EFJ-99D		PTO VEHICLE SPEED LIMIT	1	MPH
EF1-005		PTO CONFIGURATION - OFF		
EF3-99D		PTO RPM INCREMENT	50	RPM
EG8-99D		TRANSMISSION TOP GEAR MINUS ONE RATIO	0.86	RATI
EH3-99D		LOW GEARS #1 MAX RPM LIMIT	2120	RPM
EH4-99D		LOW GEARS #1 MAX MPH	3	MPH
EH6-99D		LOW GEARS #2 MAX RPM LIMIT	2120	RPM
EH7-99D		LOW GEARS #2 MAX MPH	5	MPH
EH8-99D		HIGH GEARS MAX RPM	2120	RPM
EH9-99D		HIGH GEARS TURN ON MPH	65	MPH
EJ2-99D		ENGINE BRAKE MPH DELTA	0	MPH
EJ3-99D		ENGINE BRAKE MPH INCREMENT	0	MPH
EJ4-003		ENGINE RETARDER LATCH MODE - MANUAL		
EJ8-004		CAT FAN W/ENGINE RETARDER IN HI-DISABLE		
EJ9-99D		ENGINE RETARDER MINIMUM VEHICLE SPEED	0	MPH
EMC-99D		QUICK STOP DECELERATION LIMIT (PER SEC)	0	MPH
EMI-002		FAN TYPE - CAT - ON/OFF		
		ENGINE EQUIPMENT		
13E-001		STANDARD OIL PAN	0	0
014-041	011	DUAL POLISHED STAINLESS STEEL 13 INCH DO	0	0
		NALDSON COWL MOUNTED 1-STAGE AIR CLEANER		
		S WITH POLISHED STAINLESS STEEL BANDS		
124-1BT	009	LN 12V 160 AMP BRUSHLESS 2309 PAD MOUNT	0	0
		ALTERNATOR WITHOUT LAMP DRIVER		

292-059		(4) ALLIANCE MODEL 1031, GROUP 31, 12 VO LT MAINTENANCE FREE 3040 CCA THREADED ST UD BATTERIES	0	0
290-1AC		PASSENGER SEAT BATTERY BOX VENTED TO OUT SIDE OF CAB	0	0
282-013		BATTERY BOX MOUNTED UNDER PASSENGER SEAT	0	0
291-017		WIRE GROUND RETURN FOR BATTERY CABLES WI TH ADDITIONAL FRAME GROUND RETURN	0	0
289-006		PLASTIC BATTERY BOX COVER	0	0
293-031		POSITIVE CAB POWER SHUTOFF SWITCH IN CAB OUTBOARD OF DRIVER SEAT (EXCLUDES ENGIN E ECM; DATASTAR AND RADIO MEMORY POWER)	0	0
295-029		POSITIVE AND NEGATIVE POSTS FOR JUMPSTAR T LOCATED ON FRAME NEXT TO STARTER	0	0
180-095		EATON FULLER 15-1/2 INCH CERAMIC EASY PE DAL VCTPLUS MANUALLY ADJUSTED CLUTCH **DO NOT USE**	0	0
183-008		TORQUE LIMITING CLUTCH BRAKE	0	0
181-002		ZERK FITTING WITH EXTENSION HOSE AT CLUT CH RELEASE BEARING	0	0
107-034		BW MODEL BA-921 15.9 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE	0	0
131-002		TEFLON COMPRESSOR DISCHARGE LINE	0	0
152-040		ELECTRONIC ENGINE INTEGRAL WARNING AND D ERATE PROTECTION SYSTEM	0	0
128-089		CATERPILLAR COMPRESSION BRAKE**DO NOT US E**	0	0
016-012		STATIONARY CAB MOUNTED DUAL VERTICAL EXH	0	0
239-044		AUST 12 FOOT 00 INCH (144 INCH+0/-5.9 INCH) E XHAUST SYSTEM HEIGHT	0	0
233-002		BRIGHT UPPER STACK(S), ELBOW(S) AND CLAM P(S)	0	0
237-051		VERTICAL CURVED TAILPIPE(S), RH (SINGLE EXHAUST) OR RH AND LH SIDES (DUAL EXHAUS T)	0	0
242-019	002	OVAL PERFORATED DUAL STAINLESS STEEL MUF FLER/TAIPIPE SHIELDS	0	0
273-018		HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE	0	0
276-022		AUTOMATIC CONTROL WITH DASH SWITCH AND I NDICATOR LIGHT WITH HORTON HG300 SOLENOI D, NON ENGINE MOUNTED**DO NOT USE**	0	0
110-014		OMIT PRIMARY FUEL FILTER	0	0
112-001		FUEL LINE PRIMER PUMP	0	0
118-001		FULL FLOW OIL FILTER	0	0
120-998		NO COOLANT FILTER	0	0
266-054		1350 SQUARE INCH RADIATOR	0	0
103-004		ANTIFREEZE TO -34F, NOAT EXTENDED LIFE C OOLANT	0	0
171-007		GATES BLUE STRIPE COOLANT HOSES OR EQUIV ALENT	0	0
172-010		CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES AND AIR INTAKE SYSTEM	0	0
269-002		HEAVY DUTY RADIATOR MOUNTING	0	0
360-998		NO FRONT ENGINE PTO	0	0
361-998		NO REAR ENGINE PTO	0	0
138-005		PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	0	0
154-998		NO ETHER STARTING AID	0	0
166-005	002	PHILLIPS-TEMRO 300 WATT/115 VOLT OIL PRE	0	0

		HEATER		
140-040	002	CHROME COMMON BLOCK AND OIL PAN HEATER R ECEPTACLE MOUNTED ON RH SIDE OF HOOD	0	0
155-006		DELCO 12V 42MT 400 SERIES STARTER **DO NOT USE**	0	0
109-007		CAST IRON FRONT AND REAR ENGINE SUPPORTS TRANSMISSION & EQUIPMENT	0	0
342-1BP		EATON FULLER RTLO-18918B TRANSMISSION	0	0
345-001		PAINTED SHIFT LEVER, SOLID LINKAGE	0	0
347-001		CAST IRON CLUTCH HOUSING	0	0
370-002		AIR TO OIL TRANSMISSION COOLER	0	0
362-037		CUSTOMER INSTALLED CHELSEA 221,442,489,8 12 SERIES PTO	0	0
363-003		PTO MOUNTING, BOTTOM OF MAIN TRANSMISSIO N FRONT AXLE, SUSPENSION & EQUIPMENT	0	0
400-033		FL-941 40,000# FL1 68.5 INCH KPI/3.5 INC H DROP TANDEM FRONT AXLES	0	0
402-030		MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	0	0
403-002		NON-ASBESTOS FRONT BRAKE LINING	0	0
419-021		GUNITE CAST IRON FRONT BRAKE DRUMS	0	0
427-001		FRONT BRAKE DUST SHIELDS	0	0
409-021		SKF SCOTSEAL PLUS XL FRONT OIL SEALS	0	0
408-001		VENTED FRONT HUB CAPS WITH WINDOW, CENTE R AND SIDE PLUGS - OIL	0	0
416-022		STANDARD SPINDLE NUTS FOR ALL AXLES	0	0
404-009		FRONT BRAKE CHAMBERS - MGM	0	0
405-008	002	GUNITE AUTOMATIC FRONT SLACK ADJUSTERS	0	0
536-059	002	SHEPPARD M110 POWER STEERING WITH SHEPPA RD M110 AUXILIARY GEAR LH AND DUAL TRW R H RAMS	0	0
539-006	002	VICKERS V20 POWER STEERING PUMP	0	0
534-021		9 QUART POWER STEERING RESERVOIR MOUNTED UNDER HOOD	0	0
533-001		OIL/AIR POWER STEERING COOLER	0	0
618-002		STANDARD CUPS AND CONES (WHEEL BEARINGS) FRONT AND REAR	0	0
620-1BH		40,000# SLIPPERED TANDEM FRONT SUSPENSIO N	0	0
62J-004		72 INCH (1,829MM) TANDEM STEER AXLE SPAC ING	0	0
62H-003	002	STEEL SLIPPERED FRONT AND REAR SPRING BR ACKETS FOR FRONT SUSPENSION	0	0
410-998	002	NO FRONT SHOCK ABSORBERS	0	0
420-1EY		REAR AXLE, SUSPENSION & EQUIPMENT RZ-69-166 R-SERIES DUAL PUMP 78-80 INCH WIDE TRACK TRIDEM REAR AXLE, RP-23-164/R T-46-164P CONFIGURATION	0	0
421-456		4.56 REAR AXLE RATIO	0	0
424-001		IRON REAR AXLE CARRIER WITH STANDARD AXL E HOUSING	0	0
42S-001	003	STANDARD REAR AXLE SHAFT HOLES	0	0
386-027		18N MERITOR MAIN DRIVELINE WITH FULL ROU ND YOKES**DO NOT USE**	0	0
388-018	002	18N FORWARD AND 17N AFT MERITOR INTERAXL E DRIVELINES WITH FULL ROUND YOKES **DO NOT USE**	0	0
452-017		DRIVER CONTROLLED TRACTION DIFFERENTIAL - FORWARD, CENTER AND REAR TRIDEM REAR A XLES	0	0
878-003	002	INTERAXLE LOCK CONTROL VALVE (1), DCDL C ONTROL VALVES (3) AND INDICATOR LIGHTS (0	0

4)**DO NOT USE**			
595-026		MOBIL SYNTHETIC 50W TRANSMISSION OIL AND 75W-90W ALL AXLES**DO NOT USE**	0 0
423-020		MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR B RAKES, DOUBLE ANCHOR, FABRICATED SHOES	0 0
433-002		NON-ASBESTOS REAR BRAKE LINING	0 0
434-003		STANDARD BRAKE CHAMBER LOCATION	0 0
451-021		GUNITE CAST IRON REAR BRAKE DRUMS	0 0
425-002		REAR BRAKE DUST SHIELDS	0 0
440-021		SKF SCOTSEAL PLUS XL REAR OIL SEALS	0 0
426-039	002	MGM TR TAMPER PROOF 3-DRIVE AXLES SPRING PARKING CHAMBERS	0 0
428-008	002	GUNITE AUTOMATIC REAR SLACK ADJUSTERS	0 0
622-223		AIRLINER 69,000# TRI-AXLE REAR SUSPENSIO N WITH CHAIN CLEARANCE	0 0
621-007		AIRLINER HIGH POSITION RIDE HEIGHT	0 0
431-004	002	WELDED AXLE SEATS SUPPLIED ON REAR AXLE	0 0
624-024		59 INCH AXLE SPACING	0 0
888-003		MANUAL DUMP VALVE FOR AIR SUSPENSION WIT H INDICATOR LIGHT AND GAUGE	0 0
910-004		DUAL AIR REAR SUSPENSION LEVELING VALVES	0 0
623-002		TRANSVERSE CONTROL RODS	0 0
439-006		REAR SHOCK ABSORBERS - THREE AXLES TRI D RIVE (AIR RIDE SUSPENSION) BRAKE SYSTEM	0 0
490-100		WABCO 4S/4M ABS WITHOUT TRACTION CONTROL	0 0
871-023		REINFORCED NYLON AIR LINES	0 0
412-001		STANDARD BRAKE SYSTEM VALVES	0 0
480-040		MERITOR WABCO SYSTEM SAVER 1200 HEATED A IR DRYER WITH PRESSURE CONTROL VALVE	0 0
479-012		AIR DRYER MOUNTED UNDER HOOD	0 0
460-001		STEEL AIR BRAKE RESERVOIRS	0 0
477-004		PULL CABLES ON ALL AIR RESERVOIR(S)	0 0
481-998		NO TRAILER AIR HOSE	0 0
476-998		NO AIR HOSE HANGER	0 0
914-001		AIR CONNECTIONS TO END OF FRAME WITH GLA	0 0
484-998		D HANDS FOR TRUCK AND NO DUST COVERS	0 0
296-005		NO TRAILER CABLE AND GLAD HANDS STORAGE WIRING TO ELECTRICAL CONNECTION END OF F RAME	0 0
297-001		SAE J560 7-WAY PRIMARY TRAILER CABLE REC EPTACLE MOUNTED END OF FRAME	0 0
331-998		NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R ECEPTACLE	0 0
310-998		NO TRAILER ELECTRICAL CABLE FRAME & WHEELBASE	0 0
545-917		9175MM (361 INCH) WHEELBASE	0 0
546-504		3/8X3-7/8X11-5/8 INCH DOUBLE CHANNEL 120 KSI STEEL FRAME (3/8 INCH OUTER AND 3/8 INCH INNER)	0 0
549-036		12 INCH INTEGRAL FRONT FRAME EXTENSION	0 0
552-082		3450MM (136 INCH) REAR FRAME OVERHANG	0 0
553-001		SQUARE END OF FRAME	0 0
550-015		FRONT CLOSING IRON RADIATOR CROSSMEMBER RAISED FOR ADDITIONAL FRAME CLEARANCE	0 0
561-009		EXTRA HEAVY DUTY STEEL C-CHANNEL BOLTED CONSTRUCTION BACK OF TRANSMISSION CROSSM EMBER	0 0
562-014		HEAVY DUTY TUBULAR STEEL MIDSHIP #1 CROS SMEMBER	0 0
560-001		UNDERSLUNG CROSSMEMBER	0 0

565-008		HEAVY DUTY SUSPENSION CENTER C-CHANNEL C ROSSMEMBER, BOLTED CONSTRUCTION, FORWARD MOUNTED CROSSMEMBER	0	0
572-034		TUBULAR STEEL REARMOST CROSSMEMBER	0	0
AL5-99D		CALC'D BUMPER TO REAR TOWING C/M FACE	559.62	IN
56C-001		STANDARD WEIGHT REAR SUSPENSION FORWARD CROSSMEMBER CHASSIS EQUIPMENT	0	0
674-998		NO LH OR RH BACK OF CAB ACCESS	0	0
592-998		NO DECK PLATE	0	0
665-998		NO FRAME MOUNTED STEPS	0	0
556-1AX		14 INCH TAPERED SWEPTBACK CHROMED STEEL BUMPER	0	0
558-026		NON REMOVABLE CENTERED FRONT TOW PIN FOR HIGHWAY OR CONSTRUCTION BUMPER	0	0
574-001		BUMPER MOUNTING FOR SINGLE LICENSE PLATE	0	0
585-998		NO MUDFLAP BRACKETS	0	0
590-998		NO REAR MUDFLAPS	0	0
586-024		FENDER AND FRONT OF HOOD MOUNTED FRONT M UDFLAPS	0	0
551-007		GRADE 8 THREADED HEX HEADED FRAME FASTEN ERS	0	0
602-998		NO TOOL/STORAGE BOX #1	0	0
603-998		NO TOOL/STORAGE BOX #2	0	0
61B-998		NO TOOL/STORAGE BOX #1 MOUNTING LOCATION	0	0
61C-998		NO TOOL/STORAGE BOX #2 MOUNTING LOCATION	0	0
605-019		AIR PIPING AND ELECTRICAL INDEPENDENTLY CLIPPED TO THE FRAME FIFTH WHEEL & EQUIPMENT	0	0
578-997		OMIT FIFTH WHEEL	0	0
577-998		NO FIFTH WHEEL LOCATION	0	0
582-998		NO FIFTH WHEEL LEG HEIGHT	0	0
890-004	009	DASH MOUNTED CONTROL VALVE WITH AIR LINE TO END OF FRAME FOR STINGER FIFTH WHEEL	0	0
579-998		NO FIFTH WHEEL RELEASE/INST. FUEL TANK(S) & EQUIPMENT	0	0
206-162		150 GALLON/567 LITER ALUMINUM FUEL TANK - RH	0	0
201-998		NO RH AUXILIARY FUEL TANK	0	0
204-162		150 GALLON/567 LITER ALUMINUM FUEL TANK - LH	0	0
200-998		NO LH AUXILIARY FUEL TANK	0	0
203-998		NO HYDRAULIC OIL TANK	0	0
218-006		25 INCH DIAMETER FUEL TANK(S)	0	0
20C-003		STEEL FUEL TANK BRACKET(S) WITH SEVERE SERVICE STRAPS	0	0
215-007		PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU LIC TANK(S) WITH POLISHED STAINLESS STEE L BANDS	0	0
212-008		FUEL TANK(S) AFT	0	0
664-001		PLAIN STEP FINISH	0	0
211-001		FUEL TANK COMPRESSION BRACE	0	0
205-001		FUEL TANK CAP(S)	0	0
122-1AJ		DAVCO 382/383 FUEL/WATER SEPARATOR	0	0
216-020		EQUIFLO INBOARD FUEL SYSTEM	0	0
202-002		BRAIDED WIRE REINFORCED FUEL HOSE	0	0
221-998		NO FUEL COOLER TIRES	0	0
093-715		GOODYEAR G178 425/65R22.5 20 PLY RADIAL FRONT TIRES**DO NOT USE**	0	0
094-974		GOODYEAR G177 11R24.5 16 PLY RADIAL REAR	0	0

Code	Description	Quantity	Price
	TIRES		
514-057	425/65R22.5 20 PLY RADIAL FRONT TIRES	0	0
	HUBS		
418-001	GUNITE IRON FRONT HUBS	0	0
450-001	CONMET ALUMINUM REAR HUBS	0	0
	WHEELS		
502-091	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT 4.75 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	0	0
505-333	ACCURIDE 29362 24.5X8.25 10-HUB PILOT 10 -HAND ALUMINUM DISC REAR WHEELS **DO NOT USE**	0	0
524-001	POLISHED FRONT WHEELS; OUTSIDE ONLY	0	0
525-001	POLISHED REAR WHEELS; OUTSIDE OF OUTER W HEELS ONLY	0	0
496-011	FRONT WHEEL MOUNTING NUTS	0	0
497-011	REAR WHEEL MOUNTING NUTS	0	0
	CAB EXTERIOR		
829-1AB	123 INCH BBC STEEL CONVENTIONAL CAB	0	0
653-010	RH CAB DOOR(S) WITH 55 DEGREE DOOR STOP	0	0
651-010	LH CAB DOOR(S) WITH 55 DEGREE DOOR STOP	0	0
682-054	40 INCH STAR LIGHT LOW ROOF SLEEPER	0	0
82A-010	WESTERN STAR STAINLESS STEEL CAB AND SLE EPER SKIRT	0	0
704-033	12.5X15.0 INCH LH AND RH BAGGAGE DOORS W ITH PUSHBUTTON LATCH RELEASE	0	0
650-029	AIR CAB MOUNTS WITH RAISED CAB	0	0
705-007	STAINLESS STEEL SILL PLATES	0	0
648-001	FRONT-REMOVABLE GRILLE MOUNTED BUGSCREEN	0	0
695-998	NO SLEEPER DOOR	0	0
667-034	006 102 INCH OAW BARE ALUMINUM FRONT FENDERS WITH RECESSED STEPS	0	0
754-007	2-3/4 INCH FENDER EXTENSIONS	0	0
678-009	LH AND RH EXTERIOR GRAB HANDLES AND RH I NTERIOR GRAB HANDLE MOUNTED TO A POST	0	0
645-004	STAINLESS STEEL RADIATOR SHELL/HOOD BEZE L WITH STYLIZED TILT HOOD HANDLE	0	0
646-002	RADIATOR MOUNTED GRILLE	0	0
640-008	GALVANEALD STEEL SEVERE SERVICE CAB	0	0
644-046	HEAVY DUTY SUPER VISIBILITY HOOD WITH CA B MOUNTED QUARTER FENDERS	0	0
727-012	011 DUAL HADLEY SD-978 26 INCH RECTANGULAR A IR HORNS	0	0
726-001	SINGLE ELECTRIC HORN	0	0
728-002	DUAL HORN SHIELDS	0	0
657-1AG	DOORS AND IGNITION KEYED THE SAME	0	0
327-044	DUAL AMBER REVOLVING ROOF MOUNTED BEACON LIGHTS WITH STAINLESS STEEL BRACKETS	0	0
312-003	DUAL RECTANGULAR HALOGEN HEADLIGHTS	0	0
302-003	CHROME BULLET MARKER LIGHTS	0	0
311-001	DAYTIME RUNNING LIGHTS	0	0
316-998	NO SPOTLIGHTS	0	0
294-055	GROTE TORSION MOUNT INCANDESCENT STOP/TA IL/TURN/BACKUP LIGHTS MOUNTED IN BOX UND ER END OF FRAME	0	0
300-009	SQUARE CHROME FRONT TURN SIGNALS FENDER MOUNTED	0	0
31K-1A1	(2) CHROME INCANDESCENT UTILITY LIGHTS W ITH STAINLESS STEEL ANTI-GLARE SHIELDS M OUNTED ON MIRROR ARMS	0	0
744-013	DUAL MOTO STAINLESS STEEL HEATED MIRRORS	0	0

		WITH RH REMOTE**DO NOT USE**		
797-001		DOOR MOUNTED MIRRORS	0	0
796-001		102 INCH EQUIPMENT WIDTH	0	0
729-001		STANDARD SIDE/REAR REFLECTORS	0	0
73A-998		NO REFLECTIVE DEVICES	0	0
677-016		DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES	0	0
743-1AC		LH AND RH 8 INCH STAINLESS STEEL CONVEX MIRRORS MOUNTED BELOW PRIMARY MIRRORS	0	0
74A-001		RH DOWN VIEW MIRROR	0	0
764-002		STAINLESS STEEL EXTERIOR SUN VISOR	0	0
768-047		18.25X36.75 INCH TINTED SLIDING REAR WIN DOW WITH RH SIDE OPENING	0	0
661-006		TINTED DOOR GLASS	0	0
654-006		RH ELECTRIC AND LH MANUAL WINDOWS	0	0
767-043		17.75X30.5 INCH TINTED SIDE WINDOW RH	0	0
769-002		LOWER RH DOOR WINDOW WITH FRESNEL LENS	0	0
663-014		2-PIECE TINTED CURVED BONDED WINDSHIELD	0	0
647-001		WHITE WINTERFRONT	0	0
		CAB INTERIOR		
707-207		MESA GRAY EXPANDED VINYL CAB INTERIOR **DO NOT USE**	0	0
684-207		MESA GRAY EXPANDED VINYL SLEEPER INTERIO R**DO NOT USE**	0	0
706-024		ABS UPPER AND CARPET LOWER LH DOOR TRIM* *DO NOT USE**	0	0
708-024		ABS UPPER AND CARPET LOWER RH DOOR TRIM **DO NOT USE**	0	0
772-007		BLACK MATS WITH DOUBLE INSULATION	0	0
771-001		BLACK MATS IN BAGGAGE COMPARTMENT	0	0
785-007		DASH MOUNTED ASH TRAY AND LIGHTER, DRIVE R SIDE	0	0
639-998		NO STORAGE-CAB INT, RH WALL, LOWER	0	0
691-001		FORWARD ROOF MOUNTED CONSOLE	0	0
694-009		PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR	0	0
693-003		PLASTIC MANIFEST BOX - LH DOOR	0	0
741-029		COAT HOOK ON RH BACKWALL OF CAB	0	0
826-028		31 INCH WIDE LIFTABLE LOWER BUNK	0	0
738-005		DIGITAL OVERHEAD MOUNTED ALARM CLOCK	0	0
742-026	002	(1) CUP HOLDER MOUNTED IN BOTTOM CENTER OF DASH	0	0
680-011		SLATE GRAY SOFT TOUCH WING DASH**DO NOT USE**	0	0
720-034	002	2-1/2 LB. FIRE EXTINGUISHER WITH B AND C RATINGS ONLY	0	0
700-015		HEATER, DEFROSTER AND AIR CONDITIONER WITH COSMETIC COVER	0	0
701-001		STANDARD HVAC DUCTING	0	0
689-002		HEATER IN SLEEPER AREA	0	0
170-016		STANDARD PLUMBING WITH SHUTOFF VALVES	0	0
130-003		SANDEN COMPACT AIR CONDITIONER COMPRESSOR	0	0
		R		
698-001		RADIATOR MOUNTED AIR CONDITIONER CONDENSER	0	0
739-002		ADDITIONAL CAB SIDEWALL INSULATION	0	0
73D-009		STANDARD SLEEPER INSULATION	0	0
322-011		DOOR AND BUNK ACTIVATED LH AND RH BUNK MOUNTED BAGGAGE COMPARTMENT LIGHTS	0	0
324-076		DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT WITH LH AND RH DOOR MOUNTED COURTESY LIGHTS AND LH AND RH READING LIGHTS	0	0

325-056		(2) DOME LIGHTS IN SLEEPER	0	0
655-001		CAB DOOR LATCHES WITH MANUAL DOOR LOCKS	0	0
64C-002		BRIGHT DOOR HANDLES	0	0
740-002		SPRING MATTRESS IN SLEEPER	0	0
722-002		TRIANGULAR REFLECTORS WITHOUT FLARES	0	0
756-1BJ		BOSTROM T915 WIDE RIDE MID BACK AIR SUSP ENSION DRIVER SEAT	0	0
760-038		NATIONAL 2 MAN TOOL/BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT	0	0
759-007		DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	0	0
758-039		MORDURA CLOTH DRIVER SEAT	0	0
761-039		MORDURA CLOTH PASSENGER SEAT	0	0
763-006		3 POINT DRIVER AND PASSENGER AND 2 POINT CENTER FRONT SEAT BELT RETRACTORS	0	0
709-006		SLEEPER CURTAIN	0	0
532-002		ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	0	0
540-020		2-SPOKE 18 INCH (450MM) BLACK STEERING W HEEL(S)	0	0
765-002		DRIVER AND PASSENGER INTERIOR SUN VISORS CONTROLS & INSTRUMENTS	0	0
017-090		WESTERN STAR "STAR GAUGE" PACKAGE	0	0
		DO NOT USE		
185-004		STANDARD FOOT PEDAL SYSTEM	0	0
106-002		ELECTRONIC ACCELERATOR CONTROL	0	0
870-005		STAR GAUGES WITH BRIGHT BEZELS	0	0
732-018		ROYAL ROSEWOOD MATTE FINISH DRIVER INSTR UMENT PANEL	0	0
838-001		(1) SINGLE BRAKE APPLICATION AIR GAUGE	0	0
840-002		2 INCH PRIMARY AND SECONDARY AIR PRESSUR E GAUGES	0	0
198-004		DASH MOUNTED AIR RESTRICTION GAUGE	0	0
721-021		87 DB TO 112 DB SELF-ADJUSTING BACKUP AL ARM	0	0
149-012		CRUISE CONTROL SWITCHES IN THE CENTER PA NEL	0	0
156-007		KEY OPERATED IGNITION SWITCH AND INTEGRA L START POSITION; 4 POSITION OFF/RUN/STA RT/ACCESSORY	0	0
811-1AJ		DATASTAR DRIVER DISPLAY AND WARNING LAMP /LIGHT BAR DISPLAY, NON-DATA LINKED	0	0
160-010		DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, S AE J1587/1708, LOCATED BELOW DASH	0	0
844-001		2 INCH ELECTRIC FUEL GAUGE	0	0
148-031	008	REMOTE ENGINE RPM INCREMENT/DECREMENT WI RING TO END OF FRAME**DO NOT USE**	0	0
866-014		(3) REAR AXLE TEMPERATURE GAUGES FOR TRI DEM AXLES	0	0
856-001		ELECTRICAL ENGINE COOLANT TEMPERATURE GA UGE	0	0
854-001		ENGINE OIL TEMPERATURE GAUGE	0	0
864-001		2 INCH TRANSMISSION OIL TEMPERATURE GAUG E	0	0
372-034		DASH MOUNTED PTO CONTROL WITH INDICATOR LIGHT, GUARD AND PIPING	0	0
852-002		ELECTRIC ENGINE OIL PRESSURE GAUGE	0	0
858-002		STANDARD SMALL FACE PYROMETER	0	0
746-1AM	002	DELPHI AM/FM/WB PREMIUM RADIO WITH CD **DO NOT USE**	0	0
748-019		COBRA 29WX NW ST FACTORY INSTALLED CB RA	0	0

752-018		DIO WITH WEATHERBAND MULTI-BAND AM/FM/WB/CB DUAL MIRROR MOUNT ED ANTENNA SYSTEM	0	0
810-043		ELECTRONIC KPH SPEEDOMETER WITH SECONDAR Y MPH SCALE, WITH ODOMETER	0	0
812-001		ELECTRONIC 3000 RPM TACHOMETER	0	0
162-002		IGNITION SWITCH CONTROLLED ENGINE STOP	0	0
329-002		TWO EXTRA SWITCHES IN DASH	0	0
482-001		BW TRACTOR PROTECTION VALVE	0	0
883-001		TRAILER HAND CONTROL BRAKE VALVE	0	0
842-001		2 INCH TURBO AIR PRESSURE GAUGE	0	0
836-001		2 INCH VOLTMETER	0	0
660-008		SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W ITH DELAY	0	0
304-018		CAB MARKER LIGHT AND HEADLIGHT SWITCH WI TH SEPARATE SWITCH FOR TRAILER MARKER LI GHTS AND INTERRUPT SWITCH FOR TRAILER MA RKER	0	0
882-004		TWO VALVE PARKING BRAKE SYSTEM WITH WARN ING INDICATOR	0	0
299-026		VSM NON CANCELING TURN SIGNAL SWITCH WIT H INTEGRAL HEADLAMP DIMMER WITH BRAKE OV ERRIDE	0	0
298-036		PACIFIC INSIGHT ELECTRONIC FLASHER PAINT	0	0
99A-006		ENGLISH MAINTENANCE AND ENGINE MANUALS I N EACH TRUCK	0	0
065-000		PAINT: ONE SOLID COLOR	0	0
980-8KU		CAB COLOR A: HSB906327 WHITE PPG BASE/CLEAR	0	0
96J-8QB		PAINT-CAB INTERIOR: HST907117 SILVER MET (LOW GLOSS) PPG SINGLE STG	0	0
986-020		BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	0	0
964-998		NO BUMPER PAINT	0	0
999-003	002	ADDITIONAL SPECIFICATIONS FRONT AND/OR REAR TIRE WIDTH EXCEEDS 2.6 M (102.4 INCHES); DEALER ADVISED AND ACC EPTS	0	0
	002	010 **REAR FACE OF TNK. 10. AHEAD SUSP BRKT		
	002	011 **SPICER TRANS APPR TR000003648		
	011	020 **PRICE PROTECTION REQU'D FOR 014-1AG, @		
	011	021 \$505.00, AS PER SALES LETTER POTENTIAL QUOTE 41C2 0610201359		
QUOTE		DISCOUNT	0	0
RDS-001		**DO NOT USE**/VAR EXCHANGE 1.1546627	0	0
P74-097		- STERLING ONLY -AND ORDERING CHARGENSW1 P30-2WFT USE****DO NOT USE****DO NOT USE ****DO NOT USE****DO NOT USE**		
RCE-00F		FIXED CANADIAN EXCHANGE	0	0
P90-1DU		**DO NOT USE**165,000 OR MORE 32.84% DISCOUNT P90-1DURCABSDS P30-2WFT USE****DO NOT USE****DO NOT USE ****DO NOT USE****DO NOT USE**	0	0
WAG-002		**DO NOT USE**D/ROADSIDE SERVICE WARRANT Y, 1 YEAR/UNLIMITED MILEAGE 000 KM0 MILE 800 000 KMAINTENANCE) - 10 YEAR/UNLIMITE D MILEAGE**DO NOT USE****DO NOT USE**	0	0
P28-1AC		AIR CONDITIONING TAX	0	0
P27-1GT		GOODS & SERVICES TAX 5.0% GST# 861828937	0	0

PST-008	WESTERN STAR PAYMENT TERMS CREDIT	0	0
P03-026	**DO NOT USE** 48", 62" AND 76" SLEEPER DISCOUNT P03-026.00)G ****DO NOT USE****DO NOT USE****DO NOT USE ****DO NOT USE****DO NOT USE**	0	0
P05-010	**DO NOT USE**NG ASSISTANCE(4900series) C-13,AND C-15 ENGINES P05-01005-007 ****DO NOT USE****DO NOT USE****DO NOT USE ****DO NOT USE****DO NOT USE**	0	0
P08-3WF	**DO NOT USE**TED RETAIL DISCOUNT AIRLINER TRI-DRIVE 69K P08-3WF 15K)Q25I ****DO NOT USE****DO NOT USE****DO NOT USE ****DO NOT USE****DO NOT USE**	0	0
P30-2WF	**DO NOT USE**TED RETAIL DISCOUNT EATON FULLER MULTI-SPEED (13,15,18) P30-2WFT USE****DO NOT USE****DO NOT USE ****DO NOT USE****DO NOT USE**	0	0
P73-1WS	STANDARD DESTINATION CHARGE X EXCHANGE	0	0
PMY-360	**DO NOT USE**EEP ON TRUCKIN' PMY-360 PMY-358M PMY-357M MY2009 PMY-349H ended Engine and Aftertreatment Warranty CoverageT USE****DO NOT USE**	0	0
PMP-204	**DO NOT USE**NE EMISSIONS ESCALATOR REVIEW FOR APPLICABLE ESCALATORPMP-1MBR* ended Engine and Aftertreatment Warranty CoverageT USE****DO NOT USE**	0	0
RMS-005	RAW MATERIAL SURCHARGE-CANADA	0	0
RNT-001	NOTES	0	0